

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : BeamerPaint Base  
Revision date : 29-01-2024  
Print date : 30-8-2024

Version (Revision) : 9.0.0 (8.0.0)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

BeamerPaint Base (BP-WHT-B)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

##### Products Category [PC]

Dye

##### Process categories [PROC]

Manual activities involving hand contact

Roller application or brushing

Non industrial spraying

### 1.3 Details of the supplier of the safety data sheet

#### Supplier

MagPaint Europe B.V.

**Street :** Riezenweg 2

**Postal code/City :** 7071 PR Uift

**Telephone :** 0315 386 473

### 1.4 Emergency telephone number

0315 386 473

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

None

### 2.2 Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### Special rules for supplemental label elements for certain mixtures

EUH208

Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE ; REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1).May produce an allergic reaction.

EUH210

Safety data sheet available on request.

### 2.3 Other hazards

#### Adverse environmental effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

1,2-BENZISOTHIAZOL-3(2H)-ONE ; EC No. : 220-120-9; CAS No. : 2634-33-5

Weight fraction :  $\geq 0,005$  -  $< 0,05$  %

Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** BeamerPaint Base  
**Revision date :** 29-01-2024  
**Print date :** 30-8-2024

**Version (Revision) :** 9.0.0 (8.0.0)

Specific Conc. Limits : Aquatic Acute 1 ; H400  
Skin Sens. 1 ; H317: C ≥ 0,05 %  
REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9  
Weight fraction : ≥ 0,00015 - < 0,0015 %  
Classification 1272/2008 [CLP] : Acute Tox. 2 ; H310 Acute Tox. 2 ; H330 Acute Tox. 3 ; H301 Skin Corr. 1C ; H314 Eye Dam. 1 ; H318 Skin Sens. 1A ; H317 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410 EUH071  
Specific Conc. Limits : Eye Dam. 1 ; H318: C ≥ 0,6 % • Skin Corr. 1C ; H314: C ≥ 0,6 % • Eye Irrit. 2 ; H319: C ≥ 0,06 % • Skin Irrit. 2 ; H315: C ≥ 0,06 % • Skin Sens. 1A ; H317: C ≥ 0,0015 % • (M=100)

#### Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact

Remove mechanically (e.g. dab away using wadding or cellulose material) then thoroughly wash the affected skin with a mild cleansing agent and water. In case of skin irritation, consult a physician.

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### Following ingestion

Rinse mouth thoroughly with water. Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

None

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Water Foam Extinguishing powder Carbon dioxide (CO<sub>2</sub>)

### 5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### 5.4 Additional information

Do not inhale explosion and combustion gases. Do not allow run-off from fire-fighting to enter drains or water courses. Remove heat to avoid pressure rise.

## SECTION 6: Accidental release measures

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : BeamerPaint Base  
Revision date : 29-01-2024  
Print date : 30-8-2024

Version (Revision) : 9.0.0 (8.0.0)

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8).

## 6.2 Environmental precautions

Do not allow to enter into surface water or drains. Consult the appropriate authorities about waste disposal.

## 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clear spills immediately.

## 6.4 Reference to other sections

SECTION 8: Exposure controls/personal protection Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Protective measures

Wear personal protection equipment (refer to section 8). Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep/Store only in original container. Ensure adequate ventilation of the storage area. Recommended storage temperature Keep away from UV-radiation/sunlight Avoid: Frostbite

### 7.3 Specific end use(s)

#### Recommendation

Observe instructions for use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

None

### 8.2 Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

#### Personal protection equipment

Eye glasses with side protection EN 166

#### Skin protection

##### Hand protection

Breakthrough time Thickness of the glove material Suitable material NBR (Nitrile rubber)

**By short-term hand contact** : In the case of wanting to use the gloves again, clean them before taking off and air them well.

**Suitable material** : NBR (Nitrile rubber)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Odour characteristic Odour threshold No data available

**Appearance** : Liquid

**Colour** : white

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : BeamerPaint Base  
Revision date : 29-01-2024  
Print date : 30-8-2024

Version (Revision) : 9.0.0 (8.0.0)

PCN Colour : white  
Odour : characteristic

## Safety characteristics

Initial boiling point and boiling range :	( 1013 hPa )	100	°C
Vapour pressure :	( 50 °C )	23	hPa
Density :	( 20 °C )	approx. 2	g/cm <sup>3</sup>
pH :		7 - 9	
Maximum VOC content (EC) :		0	Weight-%
Melting point/freezing point :	not determined		
Decomposition temperature :	No data available		
Flash point :	not applicable		
Auto-ignition temperature :	not applicable		
Lower explosion limit :	not applicable		
Upper explosion limit :	not applicable		
Relative density :	No data available		
Water solubility :	No data available		
log P O/W :	No data available		
Flow time :	No data available		
Viscosity :	No data available		
Odour threshold :	No data available		
Evaporation rate :	No data available		
Vapourisation rate :	No data available		
Explosive properties :	Not relevant.		

## 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.

### 10.2 Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Skin sensitisation

Parameter : Skin sensitisation ( REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : BeamerPaint Base  
Revision date : 29-01-2024  
Print date : 30-8-2024

Version (Revision) : 9.0.0 (8.0.0)

Species : ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9  
Guinea pig  
Result : Sensitising.  
Method : OECD 406

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

## 11.2 Information on other hazards

### Toxicokinetics, metabolism and distribution

No data available

### Other adverse effects

There are no data available on the preparation/mixture itself.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity

##### Acute (short-term) fish toxicity

Parameter : LC50 ( REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9 )  
Species : Oncorhynchus mykiss (Rainbow trout)  
Effective dose : 0,22 mg/l  
Exposure time : 96 h  
Method : OECD 203

##### Chronic (long-term) fish toxicity

Parameter : NOEC ( REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9 )  
Species : Oncorhynchus mykiss (Rainbow trout)  
Effective dose : 0,098 mg/l  
Exposure time : 28 D  
Method : OECD 210

##### Acute (short-term) toxicity to crustacea

Parameter : EC50 ( REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9 )  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) toxicity to crustacea  
Effective dose : 0,1 mg/l  
Exposure time : 48 h  
Method : OECD 202

Parameter : EC50 ( REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9 )  
Species : Skeletonema costatum  
Evaluation parameter : Acute (short-term) toxicity to crustacea  
Effective dose : 0,0052 mg/l  
Exposure time : 48 h  
Method : DIN EN ISO 10253

Parameter : NOEC ( REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9 )  
Species : Skeletonema costatum  
Effective dose : 0,00064 mg/l  
Exposure time : 48 h  
Method : DIN EN ISO 10253

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : BeamerPaint Base  
Revision date : 29-01-2024  
Print date : 30-8-2024

Version (Revision) : 9.0.0 (8.0.0)

## Chronic (long-term) toxicity to aquatic invertebrate

Parameter : NOEC ( REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9 )  
Species : Daphnia magna (Big water flea)  
Effective dose : 0,004 mg/l  
Exposure time : 21 D  
Method : OECD 211

## Acute (short-term) toxicity to algae and cyanobacteria

Parameter : NOEC ( REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9 )  
Species : Pseudokirchneriella subcapitata  
Effective dose : 0,0012 mg/l  
Exposure time : 72 h  
Method : OECD 201  
Parameter : EC50 ( REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9 )  
Species : Pseudokirchneriella subcapitata  
Effective dose : 0,048 mg/l  
Exposure time : 72 h  
Method : OECD 201

## Toxicity to microorganisms

Parameter : EC50 ( REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9 )  
Species : Activated Sludge  
Effective dose : 7,92 mg/l  
Exposure time : 3 h  
Method : OECD 209  
Parameter : EC20 ( REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9 )  
Species : Activated Sludge  
Effective dose : 0,97 mg/l  
Exposure time : 3 h  
Method : OECD 209

## 12.2 Persistence and degradability

The single components are biodegradable.

### Biodegradation

Parameter : BiAS-decrease ( REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9 )  
Inoculum : Half-life time  
Degradation rate : 1,82 - 1,92 D  
Evaluation : Biodegradable.  
Method : OECD 308  
Parameter : BiAS-decrease ( REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9 )  
Inoculum : Degree of elimination  
Degradation rate : 100 %  
Evaluation : Biodegradable.  
Method : OECD 302B  
Parameter : BiAS-decrease ( REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9 )  
Inoculum : Degree of elimination  
Degradation rate : > 80 %

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** BeamerPaint Base  
**Revision date :** 29-01-2024  
**Print date :** 30-8-2024

**Version (Revision) :** 9.0.0 (8.0.0)

Evaluation : Biodegradable.  
Method : OECD 303A  
Parameter : DOC reduction ( REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9 )  
Inoculum : Degree of elimination  
Degradation rate : > 60 %  
Evaluation : Biodegradable.  
Method : OECD 301D

## 12.3 Bioaccumulative potential

Parameter : Bioconcentration factor (BCF) ( REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9 )  
Value : 3,16  
Method : Bioconcentration factor (BCF)  
Parameter : Log KOW ( REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9 )  
Partition coefficient n-octanol/water (log value)  
Value : < 0,71  
Evaluation : HPLC method  
Method : OECD 117  
Mixture not tested.

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6 Endocrine disrupting properties

No information available.

## 12.7 Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Dispose according to legislation.

## SECTION 14: Transport information

### 14.1 UN number or ID number

No dangerous good in sense of these transport regulations.

### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

### 14.4 Packing group

No dangerous good in sense of these transport regulations.

### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : BeamerPaint Base  
Revision date : 29-01-2024  
Print date : 30-8-2024

Version (Revision) : 9.0.0 (8.0.0)

### 14.6 Special precautions for user

None

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

##### Authorisations and/or restrictions on use

##### Restrictions on use

##### Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no. : 75

### 15.2 Chemical Safety Assessment

No information available.

## SECTION 16: Other information

### 16.1 Indication of changes

02. Label elements · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 03. Hazardous ingredients

### 16.2 Abbreviations and acronyms

a.i. = Active ingredient

ACGIH = American Conference of Governmental Industrial Hygienists (US)

ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road

AFFF = Aqueous Film Forming Foam

AISE = International Association for Soaps, Detergents and Maintenance Products (joint project of AISE and CEFIC)

AOAC = AOAC International (formerly Association of Official Analytical Chemists)

aq. = Aqueous

ASTM = American Society of Testing and Materials (US)

atm = Atmosphere(s)

B.V. = Beperkt Vennootschap (Limited)

BCF = Bioconcentration Factor

bp = Boiling point at stated pressure

bw = Body weight

ca = (Circa) about

CAS No = Chemical Abstracts Service Number (see ACS - American Chemical Society)

CEFIC = European Chemical Industry Council (established 1972)

CIPAC = Collaborative International Pesticides Analytical Council

CLP = REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

Conc = Concentration

cP = CentiPoise

cSt = Centistokes

d = Day(s)

DIN = Deutsches Institut für Normung e.V.

DNEL = Derived No-Effect Level

DT50 = Time for 50% loss; half-life

EbC50 = Median effective concentration (biomass, e.g. of algae)

EC = European Community; European Commission

EC50 = Median effective concentration

EINECS = European Inventory of Existing Commercial Chemical Substances (EU, outdated, now replaced by EC Number)

ELINCS = European List of Notified (New) Chemicals (see Tab 7, Background - Guide)

ErC50 = Median effective concentration (growth rate, e.g. of algae)



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** BeamerPaint Base  
**Revision date :** 29-01-2024  
**Print date :** 30-8-2024

**Version (Revision) :** 9.0.0 (8.0.0)

EU = European Union  
EWC = European Waste Catalogue  
FAO = Food and Agriculture Organization (United Nations)  
GIFAP = Groupement International des Associations Nationales de Fabricants de Produits Agrochimiques (now CropLife International)  
h = Hour(s)  
hPa = HectoPascal (unit of pressure)  
IARC = International Agency for Research on Cancer  
IATA = International Air Transport Association  
IC50 = Concentration that produces 50% inhibition  
IMDG Code = International Maritime Dangerous Goods Code  
IMO = International Maritime Organization  
ISO = International Organization for Standardization  
IUCLID = International Uniform Chemical Information Database  
IUPAC = International Union of Pure and Applied Chemistry  
kg = Kilogram  
Kow = Distribution coefficient between n-octanol and water  
kPa = KiloPascal (unit of pressure)  
LC50 = Concentration required to kill 50% of test organisms  
LD50 = Dose required to kill 50% of test organisms  
LEL = Lower Explosive Limit/Lower Explosion Limit  
LOAEL = Lowest observed adverse effect level  
mg = Milligram  
min = Minute(s)  
ml = Milliliter  
mmHg = Pressure equivalent to 1 mm of mercury (133.3 Pa)  
mp = Melting point  
MRL = Maximum Residue Limit  
MSDS = Material Safety Data Sheet  
n.o.s. = Not Otherwise Specified  
NIOSH = National Institute for Occupational Safety and Health (US)  
NOAEL = No Observed Adverse Effect Level  
NOEC = No observed effect concentration  
NOEL = No Observable Effect Level  
NOx = Oxides of Nitrogen  
OECD = Organization for Economic Cooperation and Development  
OEL = Occupational Exposure Limits  
Pa = Pascal (unit of pressure)  
PBT = Persistent, Bioaccumulative or Toxic  
pH = -log<sub>10</sub> hydrogen ion concentration  
pKa = -log<sub>10</sub> acid dissociation constant  
PNEC = Previsible Non Effect Concentration  
POPs = Persistent Organic Pollutants  
ppb = Parts per billion  
PPE = Personal Protection Equipment  
ppm = Parts per million  
ppt = Parts per trillion  
PVC = Polyvinyl Chloride  
QSAR = Quantitative Structure-Activity Relationship  
REACH = Registration, Evaluation and Authorization of Chemicals (EU, see NCP)  
SI = International System of Units  
STEL = Short-Term Exposure Limit  
tech. = Technical grade  
TSCA = Toxic Substances Control Act (US)  
TWA = Time-Weighted Average  
vPvB = Very Persistent and Very Bioaccumulative  
WHO = World Health Organization = OMS

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** BeamerPaint Base  
**Revision date :** 29-01-2024  
**Print date :** 30-8-2024

**Version (Revision) :** 9.0.0 (8.0.0)

---

y = Year(s)

## 16.3 Key literature references and sources for data

None

## 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

## 16.5 Relevant H- and EUH-phrases (Number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

## 16.6 Training advice

None

## 16.7 Additional information

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---